

FOR ANIMAL USE ONLY

M+PAC®

Reg. No. G2771 (Act 36/1947)

Namibia Reg. No. V07/24.5/743 NS0

INDICATIONS

For use as an aid in the prevention of pneumonia caused by *Mycoplasma hyopneumoniae* infection in swine.

COMPOSITION

Contains chemically inactivated cultures of *Mycoplasma hyopneumoniae*.

STORAGE

Store between 2 °C and 8 °C in refrigerator.

Do not freeze.

WARNINGS

- **Withdrawal period:** Do not vaccinate within 21 days prior to slaughter.
- Extreme caution should be used when injecting any oil emulsion vaccine to avoid injecting your own finger or hand. Accidental injection can cause serious local reaction. Contact a physician immediately if accidental injection occurs.
- **KEEP OUT OF REACH OF CHILDREN, UNINFORMED PERSONS AND ANIMALS.**
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

PRECAUTIONS

- Discard any unused product as per local waste disposal regulations after first opened.
- Transient local reaction may occur at the injection site.
- If allergic response occurs seek veterinary advice.

DIRECTIONS FOR USE - USE ONLY AS DIRECTED

Shake well before use.

Use an aseptic technique.

For herds that use a two-dose program:

Inject 1 mL subcutaneously or intramuscularly at 7-10 days of age or older.

Revaccinate with 1 mL two weeks after initial vaccination.

For herds that use a one-dose program:

Vaccinate pigs at 3 weeks of age or older with a single 2 mL dose.

Duration of immunity Vaccination with M+Pac® as a single 2 mL dose or two 1 mL doses 14 days apart, has been demonstrated to provide at least 4 months duration of immunity.

PRESENTATION

50 mL and 100 mL.

REGISTRATION HOLDER

Intervet South Africa (Pty) Ltd.
20 Spartan Road, Spartan
1619, RSA
Tel: +27 (0) 11 923 9300
Fax: +27 (0) 11 392 3158
www.msd-animal-health.co.za

MANUFACTURER

21401 West Center Road
Elkhorn, Nebraska
68022, USA

DATE OF PUBLICATION OF THIS PACKAGE INSERT

30 April 2010

SLEGS VIR DIEREGEBRUIK

M+PAC®

Reg. Nr. G2771 (Wet 36/1947)

INDIKASIES

Vir gebruik as 'n hulpmiddel in die voorkoming van pneumonie veroorsaak deur *Mycoplasma hyopneumoniae* infeksie by varke.

SAMESTELLING

Bevat chemies geïnaktiveerde kulture van *Mycoplasma hyopneumoniae*.

BERGING

Berg tussen 2 °C en 8 °C in yskas.

Moenie vries nie.

WAARSKUWINGS

- **Onttrekkingsperiode:** Moenie binne 21 dae voor slagting ent nie.
- Uiterste voorsorgmaatreëls moet getref word wanneer enige olie-emulsie entstof toegedien word, om te voorkom dat die toediening se eie vinger of hand raak gespuit word. Toevallige insputing kan erge lokale reaksies veroorsaak. Kontak dadelik 'n geneesheer indien dit gebeur.
- **HOU BUITÉ BEREIK VAN KINDERS, ONINGELIGTE PERSONE EN DIERE.**
- Alhoewel hierdie middel breedvoering onder 'n wye verskeidenheid toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

VOORSORGMAATREËLS

Vernietig enige oorblywende produk nadat dit die eerste keer oopgemaak is.

'n Verbygaande lokale reaksie kan voorkom by die plek van insputing.

Indien 'n allergiese reaksie voorkom moet 'n veearts geraadpleeg word.

GEBRUIKSAANWYSINGS - GEBRUIK SLEGS SOOS AANGEDUI

Skud goed voor gebruik.

Gebruik aseptiese tegniek.

Vir kuddes wat 'n twee dosis program gebruik:

Ent met 1 mL onderhuids of binnespiers op 7 tot 10 dae ouderdom of ouer. Herhaal met 1 mL 2 weke na aanvanklike inenting.

Vir kuddes wat 'n enkel program gebruik:

Ent varke op 3 weke of ouer met 'n enkel 2 mL dosis.

Duur van immuniteit:

Daar is getoon dat met **M+Pac®** as 'n enkel 2 mL dosis, of twee 1 mL dosisse 14 dae uitmekaar, immuniteit bied vir ten minste 4 maande.

AANBIEDING

50 mL en 100 mL

REGISTRASIEHOUER
Intervet South Africa (Pty) Ltd.
Spartanweg 20, Spartan
1619, RSA
Tel: +27 (0) 11 923 9300
Faks: +27 (0) 11 392 3158
www.msd-animal-health.co.za

VERVAARDIGER
21401 West Center Road
Elkhorn, Nebraska
68022, USA

DATUM VAN PUBLIKASIE VAN HIERDIE VOUBILJET
30 April 2010